

CASE NO.: 50P4257.04  
Serial No.: 09/974,724  
January 7, 2005  
Page 2

PATENT  
Filed: October 9, 2001

1. (currently amended) An apparatus for managing data for a wireless device, comprising:  
a first memory for storing received data of a wireless device;  
a second memory for storing a network operational file, said operational file including instructions for selecting a destination using a wireless module of said wireless device, and  
instruction means for operating the network operational file for sending the received data using the wireless module to the selected destination, wherein the instruction means ~~automatically~~ sends the received data via a wireless path to an email address associated with the selected destination ~~if the first memory means exceeds a predetermined threshold.~~
2. (original) The apparatus of Claim 1, wherein the first and second memories are located on the wireless module.
3. (original) The apparatus of Claim 1, wherein the network operational file can be configured for the wireless device and the selected destination.
4. (canceled).
5. (original) The apparatus of Claim 1, wherein the instruction means can send the received data in real time to a selected destination.

1168-106.AM1

CASE NO.: 50P4257.04  
Serial No.: 09/974,724  
January 7, 2005  
Page 3

PATENT  
Filed: October 9, 2001

6. (previously presented) The apparatus of Claim 1, wherein a host can send data via the wireless module to the wireless device.
7. (previously presented) The apparatus of Claim 6, wherein the host can send data in real time via the wireless module to the wireless device.
8. (previously presented) The apparatus of Claim 1, wherein the wireless device is a digital camera, PDA, laptop, MP3 player, or a wireless flash memory device.
9. (previously presented) The apparatus of Claim 1, wherein the wireless device is connectable to an ISDN, Cellular or DSP network.
10. (previously presented) The apparatus of Claim 1, wherein the wireless module is integrated into the wireless device.
11. (currently amended) A system for managing data in a wireless device, comprising:  
a wireless module;  
at least one source of data stored in a memory module of said wireless module;  
a configuration means coupled to the memory module; and  
at least one network router; and

1168-106.AM1

CASE NO.: 50P4257.04  
Serial No.: 09/974,724  
January 7, 2005  
Page 4

PATENT  
Filed: October 9, 2001

wherein said configuration means automatically transfers the stored data through the network router to a host device having an external memory location if a data amount in the memory module violates a threshold.

12. (previously presented) The system of Claim 11, wherein the configuration means selects a default web address or user selected web address to transfer the stored data.

13. (previously presented) The system of Claim 11, wherein the memory size is in the order of 32k bytes, 64k bytes, 128k bytes, or 256k bytes.

14. (previously presented) The system of Claim 11, wherein the predetermined point is determined by the amount of data in the memory module.

15. (previously presented) The system of Claim 11, wherein the predetermined point is determined by the availability of the host device to receive the stored data.

16. (previously presented) The system of Claim 11, wherein the configuration means contains a user selected file for the wireless device and host destination.

17. (previously presented) The system of Claim 11, wherein the configuration means enables bi-directional data flow between the host and the wireless device.

1168-106LAMI

CASE NO.: 50P4257.04  
Serial No.: 09/974,724  
January 7, 2005  
Page 5

PATENT  
Filed: October 9, 2001

18. (previously presented) The system of Claim 11, wherein the configuration means enables real time data to be received or sent for the wireless device to the host.

19. (previously presented) The system of Claim 11, wherein the host is a base station device coupled via a router storage server having the external memory location.

20-29. (canceled).

30. (currently amended) A digital camera system, comprising:

a digital camera;

a wireless transceiver coupled to the camera; and

a memory for storing digital photographs from the camera, data being automatically sent ~~from~~  
the memory to a remote location by means of using the wireless transmitter to a remote location via  
a network router when an amount of data stored in the memory reaches a threshold.

31. (canceled).

1168-106.AM1